

INDIA NON JUDICIAL
Government of Uttar Pradesh

e-Stamp

Certificate No. : IN-UP50732180066428U
Certificate Issued Date : 23-Nov-2022 01:00 PM
Account Reference : NEWIMPACC (SV)/ up14137104/ MEERUT/ UP-MRT
Unique Doc. Reference : SUBIN-UPUP1413710410375281822587U
Purchased by : SYNERGY WASTE MANAGEMENT PRIVATE LIMITED
Description of Document : Article 4 Affidavit
Property Description : Not Applicable
Consideration Price (Rs.) :
First Party : SYNERGY WASTE MANAGEMENT PRIVATE LIMITED
Second Party : Not Applicable
Stamp Duty Paid By : SYNERGY WASTE MANAGEMENT PRIVATE LIMITED
Stamp Duty Amount(Rs.) : 10
(Ten only)



AGREEMENT

GZB-167

This agreement is made and executed at Meerut on Dec 21, 2022 and shall be valid only when endorsed through a SEAL of Synergy Waste Management (P) Ltd.



BY AND BETWEEN

Synergy Waste Management (P) Ltd., having its Registered Office at 517-518, 5th Floor, D-Mall, Rohini West, New Delhi-110085 (CIN No.-U74999DL2005PTC283340), hereinafter referred to as 'Service Provider', duly represented by its Authorized Signatory.

AND

Name of Health Care Establishment (HCE): ITS Hospital (MuradNagar).
(Hereinafter referred to as WASTE GENERATOR),



Dr. Devicharan Shetty
Principal
ITS Centre for Dental Studies & Research
Delhi-Noida Road, Muradnagar
Ghaziabad-201 206



1. Constitution: Pvt Ltd
Address of the (HCE) : No. 1, NH-24, Muradnagar, Delhi Meerut Road,, Ghaziabad, Uttar Pradesh-201206
Address of the HCE's parent concern (if different from above address) : -N.A-
Registration Number : _____/(New Hospital / Clinic / Diagnostic Centre)
(Registration to be applied).
Mobile: _____ Landline: _____ Email _____

2. Name of Authorised Person : DIRECTOR
3. Authorized representative of Waste Generator: Mr. Anil Kumar
Mobile: 7817006731 Email: ramdayalsingh@lts.edu.in

RECITALS

Whereas the Service Provider has been duly authorized by U. P. Pollution Control Board (UPPCB) under the provisions of BMW Rule 2016 for providing services of the Collection, Transportation, Storage, Treatment, and Disposal of the Bio-Medical Waste.

And whereas the Waste Generator is desirous to outsource the disposal of its Bio-Medical Waste generated by them and have approached the Service Provider for providing its services at its treatment facility located at Subharti Dental College Campus, Subharti Puram, Nh-58, Delhi- Haridwar By Pass Road, Meerut, Uttar Pradesh-250005

And both the parties are agreed to enter into this agreement on the terms and conditions narrated hereinafter.

NOW THIS INDENTURE WITNESSETH and it is hereby covenant as follows:


1. Validity of the Agreement

1.1 This agreement shall remain in force for a period of One years (1years) w.e.f. Jan 01, 2023 to Dec 31, 2023 (both days inclusive), which may be renewed further with mutual consent of both the parties.

1.2 However, if the WASTE GENERATOR does not initiate the services within 15 (fifteen) days from execution of this agreement, then this agreement shall become null & void automatically.

1.3 If the Waste Generator is a New Hospital / Clinic / Diagnostic Centre and the Registration with the Competent Authority is under process then the Validity of this agreement shall be termed as 'Provisional'. If the Waste Generator fails to submit Registration with competent authority within a period of 3 months, then this agreement shall become null & void.

1.4 That this agreement may be renewed further for the period and terms and conditions as agreed in between both of the parties hereto.



Dr. Devicharan Shetty
Principal
I.T.S. Centre for Dental Studies & Research
No. 1, Meerut Road, Muradnagar
Ghaziabad-201206



2. Responsibilities of the "Service Provider"


- 2.1 That the "Service Provider" shall comply with provisions as stipulated in Schedule-1 of the BMW Rule 2016
- 2.2 That the "Service Provider" shall collect the segregated bio-medical waste from one designated waste collection point within the premises of WASTE GENERATOR on daily basis except on Sundays & National Holidays.
- 2.3 That the "Service Provider" shall schedule the timings for collecting the waste in consultation with the GENERATOR.
- 2.4 That the "Service Provider" shall transport the segregated waste in closed container vehicle to its treatment facility.
- 2.5 That the "Service Provider" shall not be held liable for any kind of the violation made by the WASTE GENERATOR / or its staff under the Bio-medical Waste Rule 2016.

3. Responsibilities of the WASTE GENERATOR


- 3.1 That the WASTE GENERATOR shall segregate the Bio-Medical waste at the point of generation in accordance with the BMW Rules 2016 and duly amended thereafter.
- 3.2 That the WASTE GENERATOR shall collect, pack, label and handover the segregated BMW in non-chlorinated bags as stipulated under BMW Rule 2016, which shall be arranged by the "Waste Generator" at its own cost.
- 3.3 That it shall be the sole responsibility of the Waste Generator to keep the BMW under lock and key so as to protect it from any sort of mishandling before it is handed over to the authorized person of Service Provider.
- 3.4 That the Waste Generator shall be responsible to disinfect and mutilate the sharps and handover it in sealed puncture proof containers to "Service Provider".
- 3.5 That the WASTE GENERATOR shall take all necessary steps to ensure that the waste is handled without causing any adverse effect to human health and environment.
- 3.6 That the WASTE GENERATOR shall establish a common secured waste collection end point within its premises for collection, storage of BMW before handing it over to "Service Provider".
- 3.7 That the WASTE GENERATOR shall designate a "Nodal Officer" to interact with "Service Provider".
- 3.8 That the WASTE GENERATOR shall apply and obtain necessary authorization from the Prescribed Authority under BMW Rules 2016 and duly amended thereafter and submit its necessary return to the Prescribed Authority from time to time as laid down in the said Rules.

4. The Terms of Payment

- 4.1 That the WASTE GENERATOR has paid One Time Non-Refundable Membership Registration Fee of NILL.
- 4.2 That the WASTE GENERATOR has paid an amount Rs. 4500 equal to 0.5 months of service as refundable/ adjustable/ interest free security deposit.
- 4.3 That the Service Provider shall charge Rs. 9080 Plus 12% GST Total Rs. 10170 (Rupees Ten Thousands One Hundred and Seventy Only) per month for bedded Health Care facility (No. of Beds- 100) for the service of collection, transport, treatment & disposal of BMW, subject to the condition of weight limit of 290 kg per month. Excess weight shall be charged @ Rs.30 per kg.



Dr. Devicharan Shetty
Principal
I.T.S Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201 206



4.4 That the WASTE GENERATOR has paid an amount Rs. 0 Plus 12% GST Total Rs. 0 (Only) equal to 0 months of service charges as an advance deposit.

4.5 That the WASTE GENERATOR undertakes to make the payment through 'Account Payee Cheque or Demand Draft / NEFT/Paytm/IMPS(Any Digital Mode)' in favour of Synergy Waste Management (P) Ltd., on or before 7th day of each successive month and thereafter the interest @ 12% for p. a shall be charged by the Service Provider if the payment is not made within the stipulated period.

4.6 That if in any case cheque is Dishonoured, besides actual bank charges, a sum of Rs. 300/- extra will be charged.

4.7 GST on BMW Services is 12% effective July 2022. If GST increases / decreases and any other Govt. charges whenever applicable shall be borne by the Waste Generator.

5. Jurisdiction

That the jurisdiction of Court in all disputes shall be Delhi to try, entertain & dispose of any dispute between the parties there to.

6. Limitation of Liability

That neither party shall be liable to the other for any indirect, special, or consequential damages of any kind, including, but not limited to, loss of profits arising in any manner from this agreement regardless of the foreseeability thereof.

7. Force Majeure

That the Parties are not liable for any default or delay in the performance of their respective obligations under the terms of this Agreement; to the extent such default or delay is caused by an event beyond the reasonable control of the either of party, whichever entity is unable to perform (the "Non-Performing Party").

A Force Majeure Event includes but is not limited to, fire, flood, earthquake, elements of nature, acts of war, terrorism, riots, civil disorders, rebellion, strike, lockouts, or any other act or omission of God, government or any other party beyond the Party's control or responsibility. Force Majeure Events shall not give rise to any claim against the other Party; nor shall any default or delay, due to a Force Majeure

8. Indemnification

That the WASTE GENERATOR shall indemnify, defend and hold harmless the Service Provider, its shareholder, officers, directors, employees, representatives, agents and assignees from and against any and all Claims asserted against, imposed upon or incurred, due to, arising out of or relating to any breach by WASTE GENERATOR of any representation, warranty, term, condition or covenant set forth in this Agreement.

9. Termination Clause



Dr. Devicharan Shetty
Principal
L.S. Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

9.1 That both the parties shall be at liberty to terminate this contract by serving a written notice of 1 Month well in advance or alternately compensating the other party by an amount equal to 1 month's service charges.

9.2 Service Provider shall be at liberty to serve the notice of termination of Agreement / suspension of services offered at any time to the WASTE GENERATOR if the WASTE GENERATOR fails to make the payment to "Service Provider" within a time frame of Two months from the date on which they became so payable.

9.3 That on termination of this agreement it shall be the responsibility of both the parties to inform prescribed authority as per the provisions of BMW Rules 2016.

THAT I/ WE HAVE READ AND UNDERSTOOD THE ENTIRE CONTENTS OF THIS AGREEMENT AND GIVE MY/OUR FREE CONSENT TO THE CONTENTS.

THAT BOTH THE PARTIES UNDERTAKE TO REMAIN BOUND BY THE TERMS AND CONDITIONS SET OUT HEREIN ABOVE.

IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THEIR SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.

WASTE GENERATOR
ITS Hospital (MuradNagar)

SERVICE PROVIDER
SYNERGY WASTE MANAGEMENT (P)LTD

AUTHORIZED SIGNATORY
WITNESS
Name _____
Signature _____



AUTHORIZED SIGNATORY
WITNESS
Name Satish Kumar
Signature [Handwritten Signature]



[Handwritten Signature]
Dr. Devicharan Shetty
Principal

I.T.S Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

U.P. Pollution Control Board

CONSENT ORDER

Dated : 21/08/2020

Ref No. -
100998/U PPCB/Ghaziabad(U PPCBRO)/CTO/wat
er/GHAZIABAD/2020

To ,

Shri RAM PRAKASH CHADHA
M/s ITS CENTRE FOR DENTAL STUDIES AND RES
DELHI MEERUT ROAD MURAD NAGAR GHAZIABAD,GHAZIABAD,201206
GHAZIABAD

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. ITS CENTRE FOR DENTAL STUDIES
AND RES

Reference Application No :9258531

Dated :21/08/2020

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. ITS CENTRE FOR DENTAL STUDIES AND RES is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tant/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
 2. This consent is valid for the period from 20/08/2020 to 31/07/2024 .
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .
- This consent is being issued with the permission of competent authority .

Utsav Sharma
Digitally signed
by Utsav Sharma
Date: 2020.08.21
10:39:01 +05'30'

For and on behalf of U.P. Pollution Control Board

REGIONAL OFFICER, GHAZIABAD

Enclosed : As above
(condition of consent):

Copy to: CEO-1, UPPCB, LUCKNOW

REGIONAL OFFICER, GHAZIABAD


Dr. Devicharan Shetty
Principal
I.T.S Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent Issued to M/s. ITS CENTRE FOR DENTAL STUDIES AND RES. vide

Consent Order No. 925R531/Water

Dated 21/08/2005

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Dental college.
2. The quantity of maximum daily effluent discharge should not be more than the following:

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	Drain	STP
2	Industrial	Drain	ETP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.
- 4(a). The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent.

Domestic Effluent		
S.No	Parameter	Standard
1	Total Suspended Solids	100mg/l
2	BOD	30 mg/l
3	Quantity of Discharge	90.0 KLD
4	COD	250 mg/l
5	Oil & Grease	10 mg/l

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms.

Industrial Effluent		
S.No	Parameter	Standard
1	Total Suspended Solids	100mg/l
2	BOD	30 mg/l
3	COD	250 mg/l
4	Oil & Grease	10 mg/l
5	Quantity of Discharge	1.0 KLD

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory.
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry.
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained.

Principal
ITS Centre for Dental Studies & Research
Daha-Meerut Road, Meerutnagar
Ghaziabad-201206

Uttav Sharma
Sharma

Specific Conditions:



Pravincharin Shetty

Principal

Department for Dental Studies & Research
Gandhi Street Road, Suranagar
Ghaziabad, 201006

1. This CTO is being granted to M/s ITS CENTRE FOR DENTAL STUDIES AND RES, Plot No. DELHI MEERUT ROAD MURAD NAGAR GHAZIABAD for Dental college ONLY. This CTO will be VOID if there is any change in above mentioned address or product. The applicant shall make an application along with prescribed fee for renewal/trial consent(CTO) at least 30 days before the operation of unit.

2. The industry can only manufacture products, at the rate of production as mentioned in consent order. In case of any change in production capacity, process, raw materials use etc. the industry will have to intimate the Board. For any enhancement of the above, fresh Consent to Establish has to be obtained from U.P. State Pollution Control Board.

3. Industry shall comply with various Waste Management Rules as notified by MoEF&CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016.

4. Industry shall ensure adequate plantation and green belt within its premises. Green cover shall be in compliance of approved map from concerned Authority.

5. Industry shall ensure that industrial effluent is discharged from approved outlet and only after treatment in effluent treatment plant (as per proposal).

6. Under the Noise Pollution (Regulation and Control) Rule 2000, the industry shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A)

7. Industry shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.

8. Prior to abstraction, industry shall obtain a No Objection Certificate from Central Ground Water Authority for abstraction of ground water.

9. The industry shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.

10. The industry shall adhere to general standards terms and conditions of Water/Air Acts and compliance of Environment standards as per Environment (protection) Act 1986.

11. Industry shall submit first compliance report with respect to conditions imposed within 30 days of issue of this permission.

12. Industry shall develop green belt in accordance with Government Order 07/55-022018/09(writ)/2016 dated 26/02/2018 and UP PCB Office order issued vide letter no. H16405/220/2018/02 dated 16/02/2018

13. Industry shall ensure carbon offsetting as per Government Order (Environment Department) issued vide letter no. H17259/183/55-2-2018/09(writ)/2016 dated 15.03.2018.

14. A good house keeping shall be maintained both within the factory and in the premises. All hoods, pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the effluent collection system only and shall not be allowed to find their way into storm drains or open areas.

15. Separate power connection with energy meter shall be provided for the Pollution Control Equipments and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.

16. The applicant shall furnish to the visiting officer and / or the Board any information regarding the construction, installation or operation of the effluent treatment system / air pollution control equipment / secured storage area of Hazardous Waste and such other particulars as may be pertinent for preventing and controlling pollution.

17. The industry shall comply with ambient air quality standards of SO₂ - 80 g/m³; NO_x - 80 g/m³, PM_{2.5} - 60 g/m³; PM₁₀ - 100 g/m³; and other parameters as notified by MoEF & CC, GOI vide notification No.GSR 826(E), dated 16.11.2009 during operational phase of the project.

18. The industry shall provide & operate the following dust containment / suppression measures to comply with standards prescribed by the Board. a) Shall construct wind breaking wall all around the periphery of the site. b) Shall install machinery in a closed shed. c) Shall provide bag filter to mitigate fugitive dust emissions from process section and house the bag filter in closed shed. d) Shall store all the raw materials & products in closed sheds only. e) Shall regularly undertake cleaning & wetting of ground at your premises. f) Shall provide & operate water sprinklers at all dust emanating sources.

19. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.

20. Copy of NOC from Central Ground Water Authority (CGWA) should be submitted to the undersigned within 03 months, failing which this consent shall be automatic revoked.

D. D. Chandra Shetty
Principal
I.T.S Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

21. The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Hon'ble Supreme Court, High Court, National Green Tribunal, Central Pollution Control Board and Uttar Pradesh Pollution Control Board.

22. The Board reserves its right to modify above conditions or stipulate any additional conditions including revocation of this order, in the interest of environment protection. In case of violation of above mentioned conditions or any public complaint the CTO shall be withdrawn.

Issued with the permission of competent authority .

Utsav Digitally signed
by Utsav Sharma
Date: 2024.08.21
10:29:24 +05'30'
Sharma

For and on behalf of U.P. Pollution Control Board .

REGIONAL OFFICER, GHAZIABAD


Dr. Devicharan Shetty

Principal
I.T.S Centre for Studies & Research
Delhi-Meerut road, Muradnagar
Ghaziabad-201206

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
100994/U PPCB/Ghaziabad(U PPCBRO)/CTO/nr/GHAZIABAD/2020

Dated : 21/08/2020

To ,

Shri RAM PRAKASH CHADHA
M/s ITS CENTRE FOR DENTAL STUDIES AND RES
DELHI MEERUT ROAD MURAD NAGAR GHAZIABAD, GHAZIABAD, 201206
GHAZIABAD

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. ITS CENTRE FOR DENTAL STUDIES AND RES

Reference Application No. 9256465

Dated : 21/08/2020

1. With reference to the application for consent for emission of air pollutants from the plant of M/s ITS CENTRE FOR DENTAL STUDIES AND RES. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 20/08/2020 to 31/07/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority .

Utsav Sharma
Digitally signed
By Utsav Sharma
Date: 2020.08.21
10:42:17 +05'30'

For and on behalf of U.P. Pollution Control Board

REGIONAL OFFICER, GHAZIABAD

Enclosed : As above
(condition of consent):

Copy to: CEO-1, UPPCB, LUCKNOW

REGIONAL OFFICER, GHAZIABAD

Dr. Devicharan Shetty
Principal
I.T.S Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

U.P. Pollution Control Board

Dated: 21/08/2024

CONDITIONS OF CONSENT

This consent is valid only for the approved production capacity of Dental colleges.

This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.

(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	DG SET 160 KVA	HSD	1	Particulate Matter	AS PER E.P. Act
2	DG SET 160 KVA	HSD	2	Particulate Matter	AS PER E.P. Act
3	DG SET 125 KVA	HSD	3	Particulate Matter	AS PER E.P. Act
4	DG SET 125 KVA	HSD	4	Particulate Matter	AS PER E.P. Act
5	DG SET 125 KVA	HSD	5	Particulate Matter	AS PER E.P. Act
6	DG SET 400 KVA	HSD	6	Particulate Matter	AS PER E.P. Act

3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard

- Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
- The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
- The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
- The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
- Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
- The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

Specific Conditions:

Utsav Sharma
Digitally signed by Utsav Sharma
Date: 2024.08.21 16:42:25 +05'30'


Dr. Devicharan Shetty
 Principal
 ITS Centre for Dental Studies & Research
 Delhi-Meerut Road, Muradnagar
 Ghaziabad-201206

1. This CTO is being granted to M/s UTS CENTRE FOR DENTAL STUDIES AND RES, Plot No. DELHI MEERUT ROAD MURAD NAGAR GHAZIABAD for Dental college ONLY. This CTO will be VOID if there is any change in above mentioned address or product. The applicant shall make an application along with prescribed fee for renewal/trial consent(CTO) at least 30 days before the operation of unit.
2. The industry can only manufacture products, at the rate of production as mentioned in consent order. In case of any change in production capacity, process, raw materials use etc. the industry will have to intimate the Board. For any enhancement of the above, fresh Consent to Establish has to be obtained from U.P. State Pollution Control Board.
3. Industry shall comply with various Waste Management Rules as notified by MoEF&CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016.
4. Industry shall ensure adequate plantation and green belt within its premises. Green cover shall be in compliance of approved map from concerned Authority.
5. Industry shall ensure that industrial effluent is discharged from approved outlet and only after treatment in effluent treatment plant (as per proposal).
6. Under the Noise Pollution (Regulation and Control) Rule 2000, the industry shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A)
7. Industry shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
8. Prior to abstraction, industry shall obtain a No Objection Certificate from Central Ground Water Authority for abstraction of ground water.
9. The industry shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
10. The industry shall adhere to general standards terms and conditions of Water/Air Acts and compliance of Environment standards as per Environment (protection) Act 1986.
11. Industry shall submit first compliance report with respect to conditions imposed within 30 days of issue of this permission.
12. Industry shall develop green belt in accordance with Government Order 07/55-022018/09(writ)/2016 dated 26/02/2018 and UPPCB Office order issued vide letter no. H16405/220/2018/02 dated 16/02/2018
13. Industry shall ensure carbon offsetting as per Government Order (Environment Department) issued vide letter no. H17259/183/55-2-2018/09(writ)/2016 dated 15.03.2018.
14. A good house keeping shall be maintained both within the factory and in the premises. All hoods, pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the effluent collection system only and shall not be allowed to find their way into storm drains or open areas.
15. Separate power connection with energy meter shall be provided for the Pollution Control Equipments and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.
16. The applicant shall furnish to the visiting officer and / or the Board any information regarding the construction, installation or operation of the effluent treatment system / air pollution control equipment / secured storage area of Hazardous Waste and such other particulars as may be pertinent for preventing and controlling pollution.
17. The industry shall comply with ambient air quality standards of SO₂ - 80 g/m³; NO_x - 80 g/m³, PM_{2.5} - 60 g/m³; PM₁₀ - 100 g/m³; and other parameters as notified by MoEF & CC, GOI vide notification No.GSR 826(E), dated 16.11.2009 during operational phase of the project.
18. The industry shall provide & operate the following dust containment / suppression measures to comply with standards prescribed by the Board. a) Shall construct wind breaking wall all around the periphery of the site. b) Shall install machinery in a closed shed. c) Shall provide bag filter to mitigate fugitive dust emissions from process section and house the bag filter in closed shed. d) Shall store all the raw materials & products in closed sheds only. e) Shall regularly undertake cleaning & wetting of ground at your premises. f) Shall provide & operate water sprinklers at all dust emanating sources.
19. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
20. Copy of NOC from Central Ground Water Authority (CGWA) should be submitted to this office within 03 months, failing which this consent shall be automatic revoked.

Vicharan Shetty
Principal
U.S. Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

21. The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Hon'ble Supreme Court, High Court, National Green Tribunal, Central Pollution Control Board and Uttar Pradesh Pollution Control Board.

22. The Board reserves its right to modify above conditions or stipulate any additional conditions including revocation of this order, in the interest of environment protection. In case of violation of above mentioned conditions or any public complaint the CTO shall be withdrawn.

Issued with the permission of competent authority .

Utsav Digitally signed
by Utsav Sharma
Date: 2023.08.31
12:43:16 +05'30'
Sharma

For and on behalf of U.P. Pollution Control Board .

REGIONAL OFFICER, GHAZIABAD


Dr. Devicharan Shetty,
Principal,
Centre for Development & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

Reg. No. 01/C-4/Mathura/126/17,02.03.17

Certificate Number: 2965/2020
Issued Date: 3/1/2020



E-Waste Recyclers India

Government Authorized
ISO 9001:2015 & 14001:2015/ OHSAS 18001:2007

CERTIFICATE OF DESTRUCTION

Dear Associate to our Green Earth program

This is to certify that e-waste received from I.T.S. Centre For Dental Studies & Research
Address: NH 58, Meerut Road Asalat Nagar Muradnagar Ghaziabad, Uttar Pradesh 201206

has been disposed off in an environment friendly manner.

Description: E-Waste


Weight: 1590 Kg MRN/EWRI No: 079/3937 Dated - 19-12-2019

We thank you for your efforts in contributing to a Green Environment.

Authorized Signatory
EWRI


Dr. Devicharan Shetty
Works Manager
I.T.S. Centre for Dental Studies & Research
Delhi Meerut road, Muradnagar
Ghaziabad-201206

Works Manager
EWRI



FACILITY : E-50 UPSIDC, KOSI KOTAWAN, DISTT.MATHURA - 281403 (U.P) Toll Free:-1800-102-5679 / Customer Care:-011-4000-0000
ewaste@ewri.in www.ewri.in

Certificate for E-waste Recycling

Registration No. : Dismantler/Recycler/EW/005/HSPCB

Certificate No: DWMP/RC/2017-18/113

Issue Date: 05th/DEC/2017

This is to certify that 758Kg of E-waste was collected from

M/S ITS Centre for dental studies & research

Delhi-Meerut Road , Asalat Nagar, Muradnagar, Ghaziabad 201206

Against Manifest dated 04th OCT 2017 which has been recycled

And disposed off safely as per norms.



Deshwal Waste Management Pvt .Ltd.
Authorized By:
HARYANA STATE POLLUTION CONTROL BOARD

For E-waste Recycling

Kishore



www.dwmp.com

Dr. Devicharan Shetty
Principal

ITS Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

Shree Agrasen Ji Recycler's

An ISO:14001 EMS, ISO:18001 OHSAS certified company

CERTIFICATE OF DISPOSAL

This certificate is hereby issued to ITS THE EDUCATION GROUP. The IT assets received was processed according to all applicable Local, State and Pollution Control guidelines and in an environmentally controlled way. This also conforms to the guidelines of the E Waste (Management & Handling rules, 2011) issued by Ministry of Environment & Forest and Central Pollution Control Board.

Material were destroyed, recovered / refurbished and converted to raw materials / useful form in our / partner recycling processes.

ITS THE Education Group – Murad Nagar

Ref: Gate Pass / Invoice No. / DT. – 2017031001 / - 21/03/2017.

Issue date: 10/04/2017

TOTAL PICKUP QUANTITY:-

S.No	Item Name	Quantity
1	SMPS	5
2	Head Phone	5
3	Toner Drum	15
4	Toner PCR	10
5	Toner Whipper Blade	5
6	Toner Magnet	6
7	Key Board	60
8	Mouse	75
9	Mother Board	2
10	Network Switch 24 Port D-Link	3
11	Network Switch 16 Port D-Link	3
12	Network Switch 08 Port D-Link	3
13	Network Switch 08 Port Digisol	1
14	Access Point D-Link 2100 AP	1
15	WiFi Router D-Link DIR 300	2
16	Media Converter D-Link	1
17	Modem Point RED CPE 4 Mbit	1
18	Deskjet Printer HP	3

Total Weight of the material was = 18.350 kgs.

For Shree Agrasen Ji Recycler's



Dr. Devicharan Shetty
Principal
ITS Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

HO : DSIIDC Shed No.6, 1st Floor, Okhla Industrial Area, Phase II, Scheme-1, New Delhi -110020
Landline :- 011 46510717 M coordinator@sagewaste.com
FACILITY :- G-1-78, Ricco Industrial Area, Dudu, Jaipur, Rajasthan - 303008
www.sagewaste.com

प्रारूप-झ (संलग्नक-9) अग्नि एवं जीवन सुरक्षाप्रमाण पत्र का नवीनीकरण

यूआईडी संख्या: UPFS/2020/24536/GZB/GHAZIABAD/1780/CFO

दिनांक: 02-12-2023

प्रमाणित किया जाता है कि मैसर्स ITS CENTER FOR DENTAL STUIES AND RESEARCH (भवन/प्रतिष्ठान का नाम) पता 286, 287, 288, 289, 290, 291, 293, 294

MURADNAGAR, DELHI MEERUT ROAD, GHAZIABAD तहसीत - MODINAGAR जिसमें

ब्लॉक/टावर	तलों की संख्या	वसमेन्ट की संख्या	ऊँचाई
DENTAL OPD ✓	5	0	17.10 mt.
ITS PHARMACY ✓	5	0	18.00 mt.
ITS IHAS ✓	4	0	14.60 mt.
PARAMEDICAL GH ✓	4	0	13.10 mt.
DENTAL BH ✓	3	0	10.00 mt.
ACADEMIC BLOCK ✓	3	0	12.30 mt.
GIRLS HOSTEL NEW ✓	4	0	14.20 mt.
GIRLS HOSTEL OLD ✓	3	0	10.20 mt.
STAFF FLATES ✓	3	0	10.00 mt.
STAFF FLATS OLD ✓	4	0	13.30 mt.
GIRLS HOSTEL 2 ✓	4	0	13.30 mt.
MDS GIRLS HOSTEL ✓	4	0	14.00 mt.
SPORTS COMPLEX ✓	2	0	09.80 mt.

तथा प्लॉट एरिया 62595.93 sq.mt है। भवन का अधिभोग ITS CENTER FOR DENTAL STUIES AND RESEARCH (भवन स्वामी/ अधिभोगी अथवा कम्पनी का नाम) द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएँ एन0बी0सी0 एवं तत्संबंधी भारतीय मानक व्यूरो के आई0एस0 के अनुसार भवन में स्थापित व्यवस्थाओं का अनुरक्षण किया जा रहा है। जिसका निरीक्षण द्वारा दिनांक 04-12-2023 को भवन स्वामी के प्रतिनिधि श्री R.P CHADHA के साथ किया गया तथा भवन में अधिष्ठापित अग्नि एवं जीवन सुरक्षा व्यवस्थाओं को मानकों के अनुसार यथास्थिति में पाया गया। अतः प्रश्रगत भवन को अग्नि एवा जीवन सुरक्षाप्रमाण पत्र का नवीनीकरण (Renewal of Fire & Life Safety Certificate)(एन0बी0सी0 की अधिभोग श्रेणी) Educational के अन्तर्गत वैधता तिथि 07-12-2023 से 06-12-2026 तक 3 वर्षों के लिये दृढ शर्त के साथ दिया जा रहा है कि भवन में सभी मानकों का अनुपातन किया जायेगा तथा भवन के इस प्रमाण पत्र का नवीनीकरण निर्धारित समयवधि के अन्तर्गत पुनः कराया जायेगा तथा नवीनीकरण से पूर्व भवन में स्थापित अग्निचमन व्यवस्थाओं को क्रियाशील रखने की जिम्मेदारी आपकी होगी।

Note : भवन में निरन्तर मॉक ड्रिल फायर डिमास्ट्रेशन एवं विधुत वायरिंग तोड का सम्बन्धित विभाग से आडिट कराया जाना अनिवार्य होगा।

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अधिलेखों, दस्तावेजों के आधार पर निर्गत किया जा रहा है। इनके अन्वय पर जन्मे या निर्गत न्यूनतम खतर नहीं होगा। यह प्रमाण-पत्र अग्नि / भवन के स्वामिन् / अधिभोग को प्रमाणित नहीं करता है।"

निर्गत किये जाने का दिनांक : 07-12-2023
स्थान : GHAZIABAD


Dr. Devicharan Shetty
Principal
I.T.S Centre for Dental Studies & Research
Delhi-Meerut Road, Muradnagar
Ghaziabad-201206

इन्सपेक्टर (निर्माण अधिकारी)
(मुख्य अग्निशमन अधिकारी)



Digitally Signed By
(RAHUL PAL)

[49CF8604B0A649]0CAE4F035187DB1A56889C8DF]

07-12-2023